CLINICAL PATHOLOGY 2026

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
21.	**PATHOLOGY (PRACTICE TYPE 52)**				
	Notes: Fees for Histology and Cytology refer to items 4561 to 4595 under section 22: Anatomical Pathology				
	The amounts in this section are calculated according to the **Clinical Pathology** unit values				
21.1	**Haematology**				
3705	Alkali resistant haemoglobin	*4.5*	**163.62**	*3*	**109.08**
3709	Antiglobulin test (Coombs' or trypsinzied red cells)	*3.65*	**132.71**	*2.45*	**89.08**
3710	Antibody titration	*7.2*	**261.79**	*4.8*	**174.53**
3711	Arneth count	*2.25*	**81.81**	*1.5*	**54.54**
3712	Antibody identification	*8.45*	**307.24**	*5.65*	**205.43**
3713	Bleeding time (does not include the cost of the simplate device)	*6.94*	**252.34**	*4.63*	**168.35**
3715	Buffy Layer examination	*19.9*	**723.56**	*13.27*	**482.50**
3716	Mean Cell Volume	*2.25*	**81.81**	*1.5*	**54.54**
3717	Bone marrow cytological examination only	*19.9*	**723.56**	*13.27*	**482.50**
3719	Bone marrow: Aspiration	*8.4*	**305.42**	*5.6*	**203.62**
3720	Bone marrow trephine biopsy	*32.6*	**1,185.34**	*21.7*	**789.01**
3721	Bone marrow aspiration and trephine biopsy (excluding histological examination)	*36.8*	**1,338.05**	*24.5*	**890.82**
3722	Capillary fragility: Hess	*2.02*	**73.45**	*1.35*	**49.09**
3723	Circulating anticoagulants	*5.85*	**212.71**	*3.9*	**141.80**
3724	Coagulation factor inhibitor assay	*57.56*	**2,092.88**	*38.37*	**1,395.13**
3726	Activated proteïn C resistance	*26*	**945.36**	*17.3*	**629.03**
3727	Coagulation time	*3.16*	**114.90**	*2.11*	**76.72**
3728	Anti-factor Xa Activity	*53.6*	**1,948.90**	*35.73*	**1,299.14**
3729	Cold agglutinins	*3.6*	**130.90**	*2.4*	**87.26**
3730	Protein S: Functional	*37.5*	**1,363.50**	*25*	**909.00**
3731	Compatability for blood transfusion	*3.6*	**130.90**	*2.4*	**87.26**
3734	Protein C (chromogenic)	*30.29*	**1,101.34**	*20.19*	**734.11**
3739	Erythrocyte count	*2.25*	**81.81**	*1.5*	**54.54**
3740	Factors V and VII: Qualitative	*7.2*	**261.79**	*4.8*	**174.53**
3741	Coagulation factor assay: functional	*9.45*	**343.60**	*6.3*	**229.07**
3742	Coagulation factor assay: Immunological	*4.5*	**163.62**	*3*	**109.08**
3743	Erythrocyte sedimentation rate	*2.5*	**90.90**	*1.67*	**60.72**
3744	Fibrin stabilising factor (urea test)	*4.5*	**163.62**	*3*	**109.08**
3746	Fibrin monomers	*2.7*	**98.17**	*1.8*	**65.45**
3748	Plasminogen Activator Inhibitor (PAI-I)	*65.95*	**2,397.94**	*43.97*	**1,598.75**

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
3750	Tissue Plasminogen Activator (tPA)	67.79	2,464.84	45.19	1,643.11
3751	Osmotic fragility (screen)	2.25	81.81	1.5	54.54
3753	Osmotic fragility (before and after incubation)	18	654.48	12	436.32
3754	ABO Reverse Group	5.5	199.98	3.67	133.44
3755	Full blood count (including items 3739, 3762, 3783, 3785, 3791)	10.5	381.78	7	254.52
3756	Full cross match	7.2	261.79	4.8	174.53
3757	Coagulation factors (quantitative)	32.2	1,170.79	21.47	780.65
3758	Factor VIII related antigen	60.46	2,198.33	40.31	1,465.67
3759	Coagulation factor correction study	11.72	426.14	7.81	283.97
3761	Factor XIII related antigen	61.11	2,221.96	40.74	1,481.31
3762	Haemoglobin estimation	1.8	65.45	1.2	43.63
3763	Contact activated product essay	16.2	589.03	10.8	392.69
3764	Grouping: A-. B- and O-antigens	3.6	130.90	2.4	87.26
3765	Grouping; Rh antigens	3.6	130.90	2.4	87.26
3766	PIVKA	43.49	1,581.30	28.99	1,054.08
3767	Euglobulin lysis time	25.58	930.09	17.05	619.94
3768	Haemoglobin A2 (column chromatography)	15	545.40	10	363.60
3769	HB Electrophoresis	26.82	975.18	17.88	650.12
3770	Haemoglobin-S (solubility test)	3.6	130.90	2.4	87.26
3773	Ham's acidified serum test	8	290.88	5.33	193.80
3775	Heinz bodies	8	290.88	5.33	193.80
3776	Haemosiderin in urinary sediment	2.25	81.81	1.5	54.54
3781	Heparin tolerence	7.2	261.79	4.8	174.53
3783	Leucocyte differential count	6.2	225.43	4.15	150.89
3785	Leucocytes: total count	1.8	65.45	1.2	43.63
3786	QBC malaria concentration and fluorescent staining	25	909.00	16.7	607.21
3787	LE-cells	8.3	301.79	5.55	201.80
3789	Neutrophil alkaline phosphatase	28	1,018.08	18.7	679.93
3791	Packed cell volume: Haematocrit	1.8	65.45	1.2	43.63
3792	Plasmodium falciparum: Monoclonal immunological identification	9	327.24	6	218.16
3793	Plasma haemoglobin	6.75	245.43	4.5	163.62
3794	Platelet Sensitivities	18.64	677.75	12.43	451.95
3795	Platelet aggregation per aggregant	12.14	441.41	8.09	294.15
3796	Platelet antibodies: agglutination	5.4	196.34	3.6	130.90
3797	Platelet count	2.25	81.81	1.5	54.54
3799	Platelet adhesiveness	4.5	163.62	3	109.08
3801	Prothrombin consumption	5.85	212.71	3.9	141.80
3803	Prothrombin determination (two stages)	5.85	212.71	3.9	141.80
3805	Prothrombin index	6	218.16	4	145.44

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
3806	Therapeutic drug level: Dosage	4.5	163.62	3	109.08
3807	Recalcification time	2.25	81.81	1.5	54.54
3809	Reticulocyte count	3	109.08	2	72.72
3811	Sickling test	2.25	81.81	1.5	54.54
3814	Sucrose lysis test for PNH	3.6	130.90	2.4	87.26
3816	T and B-cells EAC markers (limited to ONE marker only for CD4/8 counts)	21.1	767.20	14.07	511.59
3820	Thrombo-Elastogram	26	945.36	17.33	630.12
3825	Fibrinogen titre	3.6	130.90	2.4	87.26
3829	Glucose 6-phosphate-dehydragenase: Qualitative	8	290.88	5.33	193.80
3830	Glucose 6-phosphate-dehydrogenase: quantitative	16	581.76	10.7	389.05
3832	Red cell pyruvate kinase: quantitative	16	581.76	10.7	389.05
3834	Red cell Rhesus phenotype	9.9	359.96	6.6	239.98
3835	Haemoglobin F in blood smear	5.85	212.71	3.9	141.80
3837	Partial thromboplastin time	5.85	212.71	3.9	141.80
3841	Thrombin time (screen)	5.85	212.71	3.9	141.80
3843	Thrombin time (serial)	7.65	278.15	5.1	185.44
3847	Haemoglobin H	2.25	81.81	1.5	54.54
3851	Fibrin degeneration products (diffusion plate)	10.35	376.33	6.9	250.88
3853	Fibrin degeneration products (latex slide)	4.5	163.62	3	109.08
3854	XDP (Dimer test or equivalent latex slide test)	8.5	309.06	5.67	206.16
3855	Hemagglutination inhibition	9.9	359.96	6.6	239.98
3856	D-Dimer	27.52	1,000.63	18.35	667.21
3858	Heparin Removal	28.88	1,050.08	19.25	699.93
21.2	**Microscopic examinations**				
3863	Autogenous vaccine	12.6	458.14	8.4	305.42
3864	Entomological examination	20.7	752.65	13.8	501.77
3865	Parasites in blood smear	5.6	203.62	3.73	135.62
3867	Miscellaneous (body fluids, urine, exudate, fungi, Pusscrapings, etc.)	4.9	178.16	3.3	119.99
3868	Fungus identification	8.3	301.79	5.5	199.98
3869	Faeces (including parasites)	4.9	178.16	3.27	118.90
3872	Automated urine microscopy	8.72	317.06	5.81	211.25
3873	Transmission electron microscopy	85	3,090.60	57	2,072.52
3874	Scanning electron microscopy	100	3,636.00	67	2,436.12
3875	Inclusion bodies	4.5	163.62	3	109.08
3878	Crystal identification polarised light microscopy	4.5	163.62	3	109.08
3879	Compylobacter in stool: fastidious culture	9.9	359.96	6.6	239.98
3880	Antigen detection with polyclonal antibodies	4.5	163.62	3	109.08
3881	Mycobacteria	3	109.08	2	72.72

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
3882	Antigen detection with monoclonal antibodies	10.8	392.69	7.2	261.79
3883	Concentration techniques for parasites	3	109.08	2	72.72
3884	Dark field. Phase- or interference contrast microscopy. Nomarski or Fontana	6.3	229.07	4.2	152.71
3885	Cytochemical stain	5.45	198.16	3.65	132.71
21.3	**Bacteriology (culture and biological examination)**				
3887	Antibiotic susceptibility test. per organism	8	290.88	5.33	193.80
3889	Clostridium difficile toxin: Moncclonal immunological	12.4	450.86	8.27	300.70
3890	Antibiotic assay of tissues and fluids	13.9	505.40	9.27	337.06
3891	Blood culture: aerobics	5.85	212.71	3.9	141.80
3892	Blood culture: anaerobic	5.85	212.71	3.9	141.80
3893	Bacteriological culture: miscellaneous	6.3	229.07	4.2	152.71
3894	Radiometric blood culture	10.8	392.69	7.2	261.79
3895	Bacteriological culture: fastidious organisms	9.9	359.96	6.6	239.98
3896	In vivo culture: bacteria	16	581.76	10.65	387.23
3897	In vivo culture: virus	16	581.76	10.65	387.23
3898	Bacterial exotoxin production (in vitro assay)	4.5	163.62	3	109.08
3899	Bacterial exotoxin production (in vivo assay)	20.7	752.65	13.8	501.77
3901	Fungal culture	4.5	163.62	3	109.08
3902	Clostridium difficile (cytotoxicity neutralisation)	30	1,090.80	20	727.20
3903	Antibiotic level: biological fluids	11.7	425.41	7.8	283.61
3904	Rotavirus latex slide test	5.62	204.34	3.75	136.35
3905	Identification of virus or rickettsia	20.7	752.65	13.8	501.77
3906	Identification: chlamydia	16	581.76	10.65	387.23
3908	Anaerobic culture: comprehensive	9.9	359.96	6.6	239.98
3909	Anaerobic culture: limited procedure	4.5	163.62	3	109.08
3911	B-Lactamase	4.5	163.62	3	109.08
3915	Mycobacterium culture	4.5	163.62	3	109.08
3916	Radiometric tuberculosis culture	10.8	392.69	7.2	261.79
3917	Mycoplasma culture: limited	2.25	81.81	1.5	54.54
3918	Mycoplasma culture: comprehensive	9.9	359.96	6.6	239.98
3919	Identification of mycobacterium	9.9	359.96	6.6	239.98
3920	Mycobacterium: antibiotic sensitivity	9.9	359.96	6.6	239.98
3921	Antibiotic synergistic study	20.7	752.65	13.8	501.77
3922	Viable cell count	1.35	49.09	0.9	32.72
3923	Staph ID Abr (Yeast ID)	3.15	114.53	2.1	76.36
3924	Biochemical ident of bacterium: extended	12.5	454.50	8.33	302.88
3925	Serological ident of bacterium: abridged	3.15	114.53	2.1	76.36
3926	Serological ident of bacterium: extended	10.2	370.87	6.8	247.25
3927	Grouping of streptococci	7.3	265.43	4.85	176.35

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
3928	Antimicrobic substances	3.8	138.17	2.5	90.90
3929	Radiometric mycobacterium identification	14	509.04	9.3	338.15
3930	Radiometric mycobacterium antibiotic sensitivity	25	909.00	16.7	607.21
3931	Helicobacter: Monoclonal immunological	12.4	450.86	8.27	300.70
4652	Rapid automated bacterial identification per organism	15	545.40	10	363.60
4653	Rapid automated antibiotic susceptibility per organism	17	618.12	11.33	411.96
4654	Rapid automated MIC per organism per antibiotic	17	618.12	11.33	411.96
4655	Mycobacteria: MIC determination - E Test	16.50	599.94	11.00	399.96
4656	Mycobacteria: Identification HPLC	35.00	1,272.60	23.33	848.28
4657	Mycobacteria: Liquified, concentrated, fluorochrome stain	9.90	359.96	6.60	239.98
21.4	**Serology**				
3932	HIV Elisa Type I and II (Screening tests only)	14.1	512.68	9.4	341.78
3933	IgE: Total; EMIT or ELISA	11.7	425.41	7.8	283.61
3934	Auto antibodies by labelled antibodies	16	581.76	10.65	387.23
3936	Virus neutralisation test: First antibody	75	2,727.00	50	1,818.00
3937	Virus neutralisation test: Each additional antibody	15	545.40	10	363.60
3938	Precipitatin test per antigen	4.5	163.62	3	109.08
3939	Agglutination test per antigen	5.5	199.98	3.67	133.44
3940	Haemagglutination test: per antigen	9.9	359.96	6.6	239.98
3941	Modified Coombs' test for brucellosis	4.5	163.62	3	109.08
3942	Hepatitis Rapid Viral Ab	12.24	445.05	8.16	296.70
3943	Antibody titer to bacterial exotoxin	3.6	130.90	2.4	87.26
3944	IgE: Specific antibody titer: ELISA/EMIT: per Ag	12.4	450.86	8.27	300.70
3945	Complement fixation test	5.85	212.71	3.9	141.80
3946	IgM: Specific antibody titer: ELISA or EMIT: per Ag	14.05	510.86	9.37	340.69
3947	C-reactive protein	3.6	130.90	2.4	87.26
3948	IgG: Specific antibody titer: ELISA/EMIT: per Ag	12.95	470.86	8.63	313.79
3949	Qualitative Kahn. VDRL or other flocculation	2.25	81.81	1.5	54.54
3950	Neutrophil phagocytosis	25.2	916.27	16.8	610.85
3951	Quantitative Kahn. VDRL or other flocculation	3.6	130.90	2.4	87.26
3952	Neutrophil chemotaxis	67.95	2,470.66	45.3	1,647.11
3953	Tube agglutination test	4.15	150.89	2.76	100.35
3955	Paul Bunnell: presumptive	2.25	81.81	1.5	54.54
3956	Infectious Mononucleasis latex slide test (Monospot or equivalent)	8.5	309.06	5.67	206.16
3957	Paul Bunnell: Absorption	4.5	163.62	3	109.08
3958	Anti Gad/la2 Ab	67.95	2,470.66	45.3	1,647.11
4600	Anti-CCP	17.46	634.85	11.64	423.23
4601	Panel typing: Antibody detection: Class I	36	1,308.96	24	872.64

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
4602	Panel typing: Antibody detection: Class II	44	1,599.84	29.3	1,065.35
4604	HLA typing: Class I - serology	52	1,890.72	34.7	1,261.69
4605	HLA typing: Class II - serology	52	1,890.72	34.7	1,261.69
4606	HLA typing: Class I & II - serology	90	3,272.40	60	2,181.60
4607	Cross matching T-cells (per tray)	18	654.48	12	436.32
4608	Cross matching B-cells	38	1,381.68	25.3	919.91
4609	Cross matching T- & B-cells	48	1,745.28	32	1,163.52
4610	Helicobacter pylori antigen test	34.6	1,258.06	23.07	838.83
4611	Erythropoietin	20	727.20	13.33	484.68
4612	HTLV I/II	20	727.20	13.33	484.68
4613	Anti-Gm1 Antibody Assay	75	2,727.00	50	1,818.00
4614	HIV Ab - Rapid Test	12	436.32	8	290.88
3959	Rose Waaler Agglutination test	4.5	163.62	3	109.08
3960	Gonococcal, listeria or echinococcus agglutination	9.5	345.42	6.3	229.07
3961	Slide agglutination test	2.63	95.63	1.75	63.63
3962	Rebuck skin window	5.4	196.34	3.6	130.90
3963	Serum complement level: each component	3.15	114.53	2.1	76.36
3965	Anti Ia2 Antibodies	36	1,308.96	24	872.64
3967	Auto-antibody: Sensitised erythrocytes	4.5	163.62	3	109.08
3968	Herpes virus typing: Monoclonal immunological	20.69	752.29	13.79	501.40
3969	Western blot technique	74	2,690.64	49	1,781.64
3970	Epstein-Barr virus antibody titer	6.75	245.43	4.5	163.62
3971	Immuno-diffusion test: per antigen	3.15	114.53	2.1	76.36
3972	Respiratory syncytial virus (ELISA technique)	35	1,272.60	23	836.28
3973	Immuno electrophoresis: per immune serum	9.45	343.60	6.3	229.07
3974	Polymerase chain reaction	75	2,727.00	50	1,818.00
3975	Indirect immuno-fluorescence test (Bacterial, viral, parasitic)	12	436.32	8	290.88
3977	Counter immuno-electrophoresis	6.75	245.43	4.5	163.62
3978	Lymphocyte transformation	51.7	1,879.81	34.5	1,254.42
3979	SARS- COV-2	16.93	615.57	16.93	615.57
3980	Bilharzia Ag Serum/Urine	14.5	527.22	9.67	351.60
21.5	**Skin tests**				
21.6	**Biochemical tests: Blood**				
3991	Abnormal pigments: qualitative	4.5	163.62	3	109.08
3993	Abnormal pigments: quantitative	9	327.24	6	218.16
3995	Acid phosphatase	5.18	188.34	3.45	125.44
3996	Serum Amyloid A	8.28	301.06	5.52	200.71
3997	Acid phosphatase fractionation	1.8	65.45	1.2	43.63
3998	Amino acids: Quantitative (Post derivatisation HPLC)	78.12	2,840.44	52.08	1,893.63

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
3999	Albumin	4.8	174.53	3.2	116.35
4000	Alcohol	12.4	450.86	8.27	300.70
4001	Alkaline phosphatase	5.18	188.34	3.45	125.44
4002	Alkaline Phosphatase-iso-enzymes	11.7	425.41	7.8	283.61
4003	Ammonia: enzymatic	7.71	280.34	5.14	186.89
4004	Ammonia: monitor	4.5	163.62	3	109.08
4005	Alpha-1-antitrypsin	7.2	261.79	4.8	174.53
4006	Amylase	5.18	188.34	3.45	125.44
4007	Arsenic in blood, hair or nails	36.25	1,318.05	24.17	878.82
4008	Bilirubin – Reflectance	4.77	173.44	3.18	115.62
4009	Bilirubin: total	4.77	173.44	3.18	115.62
4010	Bilirubin: conjugated	3.62	131.62	2.41	87.63
4014	Cadmium: atomic absorp	18.12	658.84	12.08	439.23
4016	Calcium: Ionized	6.75	245.43	4.5	163.62
4017	Calcium: spectrophotometric	3.62	131.62	2.41	87.63
4018	Calcium: atomic absorption	7.25	263.61	4.83	175.62
4019	Carotene	2.25	81.81	1.5	54.54
4023	Chloride	2.59	94.17	1.73	62.90
4026	LDL cholesterol (chemical determination)	6.9	250.88	4.6	167.26
4027	Cholesterol total	5.34	194.16	3.56	129.44
4029	Cholinesterase: serum or erythrocyte: each	7.48	271.97	4.99	181.44
4030	Cholinesterase phenotype (Dibucaine or fluoride each)	9	327.24	6	218.16
4031	Total CO2	5.18	188.34	3.45	125.44
4032	Creatinine	3.62	131.62	2.41	87.63
4033	CSF-Immunoglobulin G	9.45	343.60	6.3	229.07
4035	CSF-Albumin	9.45	343.60	6.3	229.07
4036	CSF-IgG Index	22.05	801.74	14.7	534.49
4040	Homocysteine (random)	15.3	556.31	10.2	370.87
4041	Homocysteine (after Methionine load)	18.1	658.12	12.06	438.50
4042	D-Xylose absorption test: two hours	13.15	478.13	8.75	318.15
4045	Fibrinogen: quantitative	3.6	130.90	2.4	87.26
4047	Hollander test	24.75	899.91	16.5	599.94
4049	Glucose tolerance test (2 specimens)	8.97	326.15	5.98	217.43
4050	Glucose strip-test with photometric reading	1.8	65.45	1.2	43.63
4051	Galactose	11.25	409.05	7.5	272.70
4052	Glucose tolerance test (3 specimens)	13.17	478.86	8.78	319.24
4053	Glucose tolerance test (4 specimens)	17.37	631.57	11.58	421.05
4057	Glucose Quantitative	3.62	131.62	2.41	87.63
4061	Glucose tolerance test (5 specimens)	21.56	783.92	14.37	522.49
4063	Fructosamine	7.2	261.79	4.8	174.53
4064	Glycated haemoglobin: chromatography/HbA1C	14.25	518.13	9.5	345.42

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
4066	Immunofixation: Total protein, IgG, IgA, IgM, Kappa, Lambda	46.88	1,704.56	31.25	1,136.25
4067	Lithium: flame ionisation	5.18	188.34	3.45	125.44
4068	Lithium: atomic absorption	7.48	271.97	4.99	181.44
4071	Iron	6.75	245.43	4.5	163.62
4073	Iron-binding capacity	7.65	278.15	5.1	185.44
4076	Carboxy haemoglobin (6x per 24 hrs)	19.1	694.48	12.73	462.86
4078	Oximetry analysis: MetHb, COHb, O2Hb, RHb, SulfHb	6.75	245.43	4.5	163.62
4079	Ketones in plasma: qualitative	2.25	81.81	1.5	54.54
4081	Drug level-biological fluid: Quantitative	10.8	392.69	7.2	261.79
4086	Plasma Lactate	9.32	338.88	6.59	239.61
4085	Lipase	3.01	109.44	2.14	77.81
4091	Lipoprotein electrophoresis	9	327.24	6	218.16
4093	Osmolality: Serum or urine	6.75	245.43	4.5	163.62
4094	Magnesium: Spectrophotometric	3.62	131.62	2.41	87.63
4095	Magnesium: Atomic absorption	7.25	263.61	4.83	175.62
4096	Mercury: Atomic absorption	18.12	658.84	12.08	439.23
4098	Copper: Atomic absorption	18.12	658.84	12.08	439.23
4105	Protein electrophoresis	9	327.24	6	218.16
4106	IgG sub-class 1.2. 3 or 4: Per sub-class	20	727.20	13.2	479.95
4109	Phosphate	3.62	131.62	2.41	87.63
4111	Phospholipids	3.15	114.53	2.1	76.36
4113	Potassium	3.62	131.62	2.41	87.63
4114	Sodium	3.62	131.62	2.41	87.63
4117	Protein: total	3.11	113.08	2.07	75.27
4121	pH. $pC0_2$ or $p0_2$ each	6.75	245.43	4.5	163.62
4123	Pyruvic acid	4.5	163.62	3	109.08
4125	Salicylates	4.5	163.62	3	109.08
4126	Secretin-pancreozymin responds	26.1	949.00	17.4	632.66
4127	Caeruloplasmin	4.5	163.62	3	109.08
4128	Phenylalannine: Quantitative	11.25	409.05	7.5	272.70
4129	Glutamate dehydrogenase (GDH)	5.4	196.34	3.6	130.90
4130	Aspartate amino transferase (AST)	5.4	196.34	3.6	130.90
4131	Alanine amino transferase (ALT)	5.4	196.34	3.6	130.90
4132	Cretine kinase (CK)	5.4	196.34	3.6	130.90
4133	Lactate dehidrogenase (LD)	5.4	196.34	3.6	130.90
4134	Gamma glutamyl transferase (GGT)	5.4	196.34	3.6	130.90
4135	Aldolase	5.4	196.34	3.6	130.90
4136	Angiotensin converting enzyme (ACE)	9	327.24	6	218.16
4137	Lactate dehydrogenase isoenzyme	10.8	392.69	7.2	261.79
4138	CK-MB: immunoinhibition/precipetation	10.8	392.69	7.2	261.79

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
4139	Adenosine deaminase	5.4	196.34	3.6	130.90
4142	Red cell enzymes: each	7.8	283.61	5.2	189.07
4143	Serum/plasma enzymes: each	5.4	196.34	3.6	130.90
4144	Transferrin	11.7	425.41	7.8	283.61
4146	Lead: atomic absorption	15	545.40	10	363.60
4149	Red cell magnesium	11.7	425.41	7.8	283.61
4151	Urea	3.62	131.62	2.41	87.63
4152	CK-MB	12.4	450.86	8.27	300.70
4153	CK-MB: Mass determination: Quantitative (Not automated)	17.47	635.21	11.65	423.59
4154	Myoglobin quantitative: Monoclonal immunological	12.4	450.86	8.27	300.70
4155	Uric acid	3.78	137.44	2.52	91.63
4156	Vitamin D3	12.42	451.59	8.28	301.06
4157	Vitamin A-saturation test	15.3	556.31	10.2	370.87
4158	Vitamin E (tocopherol)	3.6	130.90	2.4	87.26
4159	Vitamin A	6.3	229.07	4.2	152.71
4160	Vitamin C (ascorbic acid)	2.25	81.81	1.5	54.54
4161	Trop T	20	727.20	13.33	484.68
4171	Sodium + potassium + chloride + C02 + urea	15.84	575.94	10.56	383.96
4172	ELIZA or EMIT technique	12.42	451.59	8.28	301.06
4181	Quantitative protein estimation: Mancini method	7.76	282.15	5.17	187.98
4182	Quantitative protein estimation: nephelometer	8.28	301.06	5.52	200.71
4183	Quantitative protein estimation: labelled antibody	12.42	451.59	8.28	301.06
4184	C-reactive protein (Ultra sensitive)	11.68	424.68	7.79	283.24
4185	Lactose	10.8	392.69	7.2	261.79
4186	Vitamin B6	15.3	556.31	10.2	370.87
4187	Zinc: atomic absorption	18.12	658.84	12.08	439.23
21.7	**Biochemical tests: Urine**				
4188	Urine dipstick, per stick (irrespective of the number of tests on stick)	1.5	54.54	1	36.36
4189	Abnormal pigments	4.5	163.62	3	109.08
4193	Alkapton test: homogentisic acid	4.5	163.62	3	109.08
4194	Amino acids: quantitative (Post derivatisation HPLC)	78.12	2,840.44	52.08	1,893.63
4195	Amino laevulinic acid	18	654.48	12	436.32
4197	Amylase	5.18	188.34	3.45	125.44
4198	Arsenic	18.12	658.84	12.08	439.23
4199	Ascorbic acid	2.25	81.81	1.5	54.54
4201	Bence-Jones protein	2.7	98.17	1.8	65.45
4203	Phenol	3.6	130.90	2.4	87.26
4204	Calcium: atomic absorption	7.25	263.61	4.83	175.62

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
4205	Calcium: spectrophotometric	3.62	131.62	2.41	87.63
4206	Calcium: absorption and excretion studies	25	909.00	16.7	607.21
4209	Lead: atomic absorption	15	545.40	10	363.60
4211	Bile pigments: qualitative	2.25	81.81	1.5	54.54
4213	Protein: quantitative	2.25	81.81	1.5	54.54
4216	Mucopolysaccharides: qualitative	3.6	130.90	2.4	87.26
4217	Oxalate/Citrate: enzymatic each	9.38	341.06	6.25	227.25
4218	Glucose: quantitative	2.25	81.81	1.5	54.54
4219	Steroids: chromatography (each)	7.2	261.79	4.8	174.53
4221	Creatinine	3.62	131.62	2.41	87.63
4223	Creatinine clearance	7.65	278.15	5.1	185.44
4227	Electrophoreses: qualitative	4.5	163.62	3	109.08
4229	Uric acid clearance	7.65	278.15	5.1	185.44
4230	Urine/Fluid - Specific Gravity	0.9	32.72	0.6	21.82
4231	Metabolites HPLC (High Pressure Liquid Chromatography)	37.50	1,363.50	25.00	909.00
4232	Metobolites (Gaschromatography/Mass spectrophotometry)	46.80	1,701.65	31.20	1,134.43
4233	Pharmacological/Drugs of abuse: Metobolites HPLC (High Pressure Liquid Chromatography)	37.50	1,363.50	25.00	909.00
4234	Pharmacological/Drugs of abuse: Metobolites (Gaschromatography/Mass spectrophotometry)	46.80	1,701.65	31.20	1,134.43
4237	5-Hydroxy-indole-acetic acid: screen test	2.7	98.17	1.8	65.45
4238	5HIAA (Hplc)	78.12	2,840.44	52.08	1,893.63
4239	5-Hydroxy-indole-acetic acid: quantitative	6.75	245.43	4.5	163.62
4247	Ketones: excluding dip-stick method	2.25	81.81	1.5	54.54
4248	Reducing substances	1.8	65.45	1.2	43.63
4251	Metanephrines: column chromatography	22.05	801.74	14.7	534.49
4253	Aromatic amines (gas chromatography/mass spectrophotometry)	27	981.72	18	654.48
4254	Nitrosonaphtol test for tyrosine	2.25	81.81	1.5	54.54
4262	Micro Albumin-Qualitative	4.5	163.62	3	109.08
4263	pH: Excluding dip-stick method	0.9	32.72	0.6	21.82
4265	Thin layer chromatography: one way	6.75	245.43	4.5	163.62
4266	Thin layer chromatography: two way	11.25	409.05	7.5	272.70
4267	Total organic matter screen: Infrared	31.25	1,136.25	20.83	757.38
4268	Organic acids: quantitative: GCMS	109.4	3,977.06	72.92	2,651.37
4269	Phenylpyruvic acid: ferric chloride	2.25	81.81	1.5	54.54
4271	Phosphate excretion index	22.05	801.74	14.7	534.49
4272	Porphobilinogen qualitative screen: urine	5	181.80	3.33	121.08
4273	Porphobilinogen/ALA: quantitative each	15	545.40	10	363.60
4283	Magnesium: spectrophotometric	3.62	131.62	2.41	87.63
4284	Magnesium: atomic absorption	7.25	263.61	4.83	175.62

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
4285	Identification of carbohydrate	7.65	278.15	5.1	185.44
4287	Identification of drug: qualitative	4.5	163.62	3	109.08
4288	Identification of drug: quantitative	10.8	392.69	7.2	261.79
4293	Urea clearance	5.4	196.34	3.6	130.90
4297	Copper: spectrophotometric	3.62	131.62	2.41	87.63
4298	Copper: Atomic absorption	18.12	658.84	12.08	439.23
4300	Indican or Indole: Qualitative	3.15	114.53	2.1	76.36
4301	Chloride	2.59	94.17	1.73	62.90
4307	Ammonium chloride loading test	22.05	801.74	14.7	534.49
4309	Urobilonogen: quantitative	6.75	245.43	4.5	163.62
4313	Phosphates	3.62	131.62	2.41	87.63
4315	Potassium	3.62	131.62	2.41	87.63
4316	Sodium	3.62	131.62	2.41	87.63
4319	Urea	3.62	131.62	2.41	87.63
4321	Uric acid	3.62	131.62	2.41	87.63
4322	Fluoride	5.18	188.34	3.45	125.44
4323	Total protein and protein electrophoreses	11.25	409.05	7.5	272.70
4325	VMA: quantitative	11.25	409.05	7.5	272.70
4327	Immunofixation: Total Protein, IgG, IgA, IgM, Kappa, Lambda	46.88	1,704.56	31.25	1,136.25
4335	Cystine: quantitative	12.6	458.14	8.4	305.42
4336	Dinitrophenal hydrazine test: ketoacids	2.25	81.81	1.5	54.54
4337	Hydroxyproline: quantitative	18.9	687.20	12.6	458.14
4339	Chloride	2.59	94.17	1.73	62.90
21.8	**Biochemical tests: Faeces**				
4343	Fat: qualitative	3.15	114.53	2.1	76.36
4345	Fat: quantitative	22.05	801.74	14.7	534.49
4347	pH	0.9	32.72	0.6	21.82
4351	Occult blood: chemical test	2.25	81.81	1.5	54.54
4352	Occult blood (monoclonal antibodies)	10	363.60	6.67	242.52
4357	Potassium	3.62	131.62	2.41	87.63
4358	Sodium	3.62	131.62	2.41	87.63
4361	Stercobilin	2.25	81.81	1.5	54.54
4363	Stercobilinogen: quantitative	6.75	245.43	4.5	163.62
21.9	**Biochemical tests: Miscellaneous**				
4370	Vancomycin, Phenytoin, Theophylline	12.4	450.86	8.27	300.70
4371	Amylase in exudate	5.18	188.34	3.45	125.44
4374	Trace metals in biological fluid: Atomic absorption	18.13	659.21	12.08	439.23
4375	Calcium in fluid: Spectrophotometric	3.62	131.62	2.41	87.63
4376	Calcium in fluid: Atomic absorption	7.25	263.61	4.83	175.62

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
4388	Gastric contents: Maximal stimulation	27	981.72	18	654.48
4389	Gastric fluid: Total acid per specimen	2.25	81.81	1.5	54.54
4391	Renal calculus: Chemistry	5.40	196.34	3.60	130.90
4392	Renal calculus: Crystallography	16.25	590.85	10.80	392.69
4393	Saliva: Potassium	3.62	131.62	2.41	87.63
4394	Saliva: Sodium	3.62	131.62	2.41	87.63
4395	Sweat: Sodium	3.62	131.62	2.41	87.63
4396	Sweat: Potassium	3.62	131.62	2.41	87.63
4397	Sweat: Chloride	2.59	94.17	1.73	62.90
4399	Sweat collection by iontophoresis (excluding collection material)	4.5	163.62	3	109.08
4400	Triptophane loading test	22.05	801.74	14.7	534.49
21.10	**Cerebrospinal fluid**				
4401	Cell count	3.45	125.44	2.3	83.63
4407	Cell count. Protein, glucose and chloride	7.65	278.15	5.1	185.44
4416	Sodium	3.62	131.62	2.41	87.63
4417	Protein: Qualitative	0.9	32.72	0.6	21.82
4421	Glucose	3.62	131.62	2.41	87.63
4423	Urea	3.62	131.62	2.41	87.63
4424	HLA test for specific allele DNA-PCR	36	1,308.96	24	872.64
4425	Protein electrophoresis	12.60	458.14	8.40	305.42
4426	HLA typing low resolution Class I DNA-PCR per locus	100	3,636.00	67	2,436.12
4427	HLA typing low resolution Class II DNA-PCR per locus	74	2,690.64	44	1,599.84
4428	HLA typing high resolution Class I or II DNA-PCR per locus	66	2,399.76	56.2	2,043.43
4429	Quantitative PCR (DNA/RNA)	84.3	3,065.15	16.67	606.12
4430	Recombinant DNA technique	25	909.00	23.33	848.28
4431	Ribosomal RNA targeting for bacteriological identification	35	1,272.60	50	1,818.00
4432	Ribosomal RNA amplification for bacteriological identification	75	2,727.00	16.67	606.12
4433	Bacteriological DNA identification (LCR)	25	909.00	50	1,818.00
4434	Bacteriological DNA identification (PCR)	75	2,727.00	50	1,818.00
4439	Quantitative PCR - viral load (not HIV) - hepatitis C, hepatitis B, CMV, etc.	150	5,454.00	100	3,636.00

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
21.12	**Isotopes**				
4450	HCG: Monoclonal immunological: Qualitative	10	363.60	6.67	242.52
4451	HCG: Monoclonal immunological: Quantitative	12.4	450.86	8.27	300.70
4452	Bone-Specific Alk. Phosphatase	20	727.20	13.33	484.68
4458	Micro-albuminuria: radio-isotope method	12.42	451.59	8.3	301.79
4459	Acetyl choline receptor antibody	158.1	5,749.24	105.4	3,832.71
4460	CA-199 tumour marker	20	727.20	13.33	484.68
4462	CA-125 tumour marker	20	727.20	13.33	484.68
4463	C6 complement functional essay	45	1,636.20	30	1,090.80
4466	Beta-2-microglobulin	12.42	451.59	8.28	301.06
4468	CA-549	20	727.20	13.3	483.59
4469	S-S100	20	727.20	13.33	484.68
4470	CA-195 tumour marker	20	727.20	13.33	484.68
4471	Carcino-embryonic antigen	20	727.20	13.33	484.68
4472	MCA antigen tumour marker	20	727.20	13.33	484.68
4473	TSH Receptor Ab	17.48	635.57	11.65	423.59
4475	CA-724	20	727.20	13.33	484.68
4478	Osteocalcin	31.4	1,141.70	20.93	761.01
4479	Vitamin B12-absorption: Shilling test	11.7	425.41	7.8	283.61
4480	Serotonin	18.75	681.75	12.5	454.50
4482	Free thyroxine (FT4)	17.48	635.57	11.65	423.59
4484	Thyroid profile (only with special motivation)	37.8	1,374.41	24.72	898.82
4485	Insulin	12.42	451.59	8.28	301.06
4486	C-Peptide	12.42	451.59	8.28	301.06
4487	Calcitonin	18.9	687.20	12.6	458.14
4488	NT Pro BNP	47.04	1,710.37	33.35	1,212.61
4490	Releasing hormone response	50	1,818.00	33.35	1,212.61
4491	Vitamin B12	12.42	451.59	8.28	301.06
4492	Vitamin D3: Calcitroil (RIA)	75	2,727.00	50	1,818.00
4493	Drug concentration: quantitative	12.42	451.59	8.28	301.06
4494	Free hormone assay	17.48	635.57	11.65	423.59
4496	Hormone concentration: Quantitative	12.42	451.59	8.28	301.06
4497	Carbohydrate deficient transferrin	29.06	1,056.62	19.37	704.29
4499	Cortisol	12.42	451.59	8.28	301.06
4500	DHEA sulphate	12.42	451.59	8.28	301.06
4507	Thyrotropin (TSH)	19.6	712.66	13.07	475.23
4509	Free tri-iodothyronine (FT3)	17.48	635.57	11.65	423.59
4511	Renin activity	18.9	687.20	12.6	458.14
4512	Parathormone	17.08	621.03	11.39	414.14
4515	Aldosterone	12.42	451.59	8.28	301.06
4516	Follitropin (FSH)	12.42	451.59	8.28	301.06

		Pathologist		Other Specialists and General Practioners	
		U	R	U	R
4517	Lutropin (LH)	12.42	451.59	8.28	301.06
4522	Alpha-Feto protein	12.42	451.59	8.28	301.06
4523	ACTH	21.74	790.47	14.49	526.86
4524	Free PSA	14.49	526.86	9.66	351.24
4527	Gastrin	12.42	451.59	8.28	301.06
4528	Ferritin	12.42	451.59	8.28	301.06
4530	Antiplatelet antibodies	15.3	556.31	10.2	370.87
4531	Hepatitis: per antigen or antibody	14.49	526.86	9.66	351.24
4532	Transcobalamine	12.42	451.59	8.28	301.06
4533	Folic acid	12.42	451.59	8.28	301.06
4536	Erythrocyte folate	17.48	635.57	11.65	423.59
4538	Procalcitonin: Qualitative	32	1,163.52	21.33	775.56
4539	Procalcitonin: Quantitative	46	1,672.56	30.67	1,115.16
21.13	**After hour service and travelling fees (applicable to pathologists only)**				
	Miscellaneous				
4544	Attendance in theatre	27	981.72		-
4549	Minimum fee for after hour service	6.3	229.07		-