

**RADIOLOGY
4 DIGITS CODES
2026**

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---|--------------------------------------------|----------|-------------|---|---|
| | | U | R | U | R | U | R | T |
| 19. | RADIOLOGY | | | | | | | |
| | Applicable to non-radiologists and general practitioners only | | | | | | | |
| | RULES GOVERNING THE SECTION RADIOLOGY | | | | | | | |
| Rule RR. | The radiology section in this price list is not for use by registered specialist radiology practices (Pr No "038") or nuclear medicine practices (Pr No "025"), but only for use by other specialist practices or general practitioners. A separate radiology schedule is for the exclusive use of registered specialist radiology practices (Pr No "038") and nuclear medicine practices (Pr No "025"). | | | | | | | |
| Rule YY. | Diagnostic services rendered to outpatients: Quote Modifier 0092 on all accounts for diagnostic services (e.g. MRI, X-rays, pathology tests) performed on patients NOT officially admitted to hospital or day clinic (could be within the confines of a hospital). | | | | | | | |
| | Note in respect of fees payable when X-rays are taken by general practitioners | | | | | | | |
| | The amounts in this section are calculated according to the Radiology unit values (unless otherwise specified) | | | | | | | |
| 19.1 | Skeleton | | | | | | | |
| 19.1.1 | Limbs | | | | | | | |
| 3305 | Finger, toe | | | 6.3 | 230.20 | | | |
| 6500 | Hand | | | 7.7 | 281.36 | | | |
| 6501 | Wrist (specify region) | | | 7.7 | 281.36 | | | |
| 6503 | Scaphoid | | | 7.7 | 281.36 | | | |
| 6504 | Radius and Ulna | | | 7.7 | 281.36 | | | |
| 6505 | Elbow | | | 7.7 | 281.36 | | | |
| 6506 | Humerus | | | 7.7 | 281.36 | | | |
| 6507 | Shoulder | | | 7.7 | 281.36 | | | |
| 6508 | Acromio-Clavicular joint | | | 7.7 | 281.36 | | | |
| 6509 | Clavicle | | | 7.7 | 281.36 | | | |
| 6510 | Scapula | | | 7.7 | 281.36 | | | |
| 6511 | Foot | | | 7.7 | 281.36 | | | |
| 6512 | Ankle | | | 7.7 | 281.36 | | | |
| 6513 | Calcaneus | | | 7.7 | 281.36 | | | |
| 6514 | Tibia and fibula | | | 7.7 | 281.36 | | | |
| 6515 | Knee | | | 7.7 | 281.36 | | | |
| 6516 | Patella | | | 7.7 | 281.36 | | | |
| 6517 | Femur | | | 7.7 | 281.36 | | | |
| 6518 | Hip | | | 7.7 | 281.36 | | | |
| 6519 | Sesamoid Bone | | | 7.7 | 281.36 | | | |
| 3309 | Smith-Petersen or equivalent control, in theatre | | | 38.7 | 1,414.10 | | | |
| 3311 | Stress studies, e.g. joint | | | 7.7 | 281.36 | | | |
| 3313 | Full length study, both legs | | | 15.5 | 566.37 | | | |
| 3317 | Skeletal survey | | | 28 | 1,023.12 | | | |
| 3319 | Arthrography per joint | | | 15.4 | 562.72 | | | |
| 3320 | Introduction of contrast medium or air: Add | | | 13.8 | 504.25 | | | |
| 19.1.2 | Skeleton: Spinal column | | | | | | | |
| 3321 | Per region, e.g. cervical, sacral, coccygeal, one region thoracic | | | 11 | 401.94 | | | |

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|--------|----------------------------------------------------------------------------------------------------------------------|------------------------|---|--------------------------------------------|----------|-------------|--------|----|
| | | U | R | U | R | U | R | T |
| 3325 | Stress studies | | | 11 | 401.94 | | | |
| 3331 | Pelvis (Sacro-iliac or hip joints only to be added where an extra set of views is required) | | | 11 | 401.94 | | | |
| 3333 | Myelography: Lumbar | | | 28.9 | 1,056.01 | 4 | 653.08 | +T |
| 3334 | Myelography: Thoracic | | | 22.2 | 811.19 | 4 | 653.08 | +T |
| 3335 | Myelography: Cervical | | | 35.5 | 1,297.17 | 4 | 653.08 | +T |
| 3336 | Multiple (lumbar, thoracic, cervical): Same fee as for first segment (no additional introduction of contrast medium) | | | | | 4 | 653.08 | +T |
| 3344 | Introduction of contrast medium | | | 18.7 | 683.30 | | | |
| 3345 | Discography | | | 34.6 | 1,264.28 | 4 | 653.08 | +T |
| 3347 | Introduction of contrast medium per disc level: Add | | | 28.2 | 1,030.43 | | | - |
| 19.1.3 | Skeleton: Skull | | | | | | | |
| 3349 | Skull studies | | | 15.7 | 573.68 | | | |
| 3351 | Paranasal sinuses | | | 11 | 401.94 | | | |
| 3353 | Facial bones and/or orbits | | | 12.6 | 460.40 | | | |
| 3355 | Mandible | | | 9.4 | 343.48 | | | |
| 3357 | Nasal bone | | | 7.8 | 285.01 | | | |
| 3359 | Mastoid: Bilateral | | | 18 | 657.72 | | | |
| 3361 | Teeth: One quadrant | | | 3.7 | 135.20 | | | |
| 3363 | Teeth: Two quadrants | | | 6.3 | 230.20 | | | |
| 3365 | Teeth: Full mouth | | | 11 | 401.94 | | | |
| 3366 | Teeth: Rotation tomography of the teeth and jaws | | | 13.3 | 485.98 | | | |
| 3367 | Teeth:Temporo-mandibular joints: Per side | | | 11 | 401.94 | | | |
| 3369 | Teeth:Tomography: Per side | | | 11 | 401.94 | | | |
| 3371 | Localisation of foreign body in the eye | | | 15.7 | 573.68 | | | |
| 3381 | Ventriculography | | | 27.3 | 997.54 | 4 | 653.08 | +T |
| 3385 | Post-nasal studies: Lateral neck | | | 6.3 | 230.20 | | | |
| 3391 | For introduction of contrast medium add | | | 11 | 401.94 | | | |
| | | | | | | | | |
| 19.2 | Alimentary tract | | | | | | | |
| 3397 | Introduction of contrast medium (plus 80% for each additional gland - add) | | | 11 | 401.94 | | | |
| 3399 | Pharynx and oesophagus | | | 12.7 | 464.06 | | | |
| 3403 | Oesophagus, stomach and duodenum (control film of abdomen included) and limited follow through | | | 20 | 730.80 | | | |
| 3405 | Double contrast: Add | | | 7.3 | 266.74 | | | |
| 3406 | Small bowel meal (control film of abdomen included except when part of item 3408) | | | 20 | 730.80 | | | |

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---|--------------------------------------------|----------|-------------|---------|----|
| | | U | R | U | R | U | R | T |
| 3408 | Barium meal and dedicated gastro-intestinal tract follow through (including control film of the abdomen, oesophagus, duodenum, small bowel and | | | 28.9 | 1,056.01 | | | |
| 3409 | Barium enema (control film of abdomen included) | | | 18.3 | 668.68 | | | |
| 3411 | Air contrast study (add) | | | 19.3 | 705.22 | | | |
| | Note: For items 3415 and 3416: Endoscopy (See item 1778) ● | | | | | | | |
| 3417 | Gastric/oesophageal/duodenal intubation control | | | 5.9 | 215.59 | | | |
| 3419 | Gastric/oesophageal intubation insertion of tube | | | 5.6 | 204.62 | | | |
| 3421 | Duodenal intubation: Insertion of tube (add) | | | 11 | 401.94 | | | |
| 3423 | Hypotonic duodenography (3403 and 3405 included) (add) | | | 29.3 | 1,070.62 | | | |
| 19.4 | Chest | | | | | | | |
| 3443 | Larynx (Tomography included) | | | 12.5 | 456.75 | | | |
| 3445 | Chest (item 3601 included) | | | 9.4 | 343.48 | | | |
| 3449 | Ribs | | | 12.3 | 449.44 | | | |
| 3451 | Sternum or sternoclavicular joints | | | 12.6 | 460.40 | | | |
| 3453 | Bronchography: Unilateral | | | 12.6 | 460.40 | 8 | 1306.16 | +T |
| 3455 | Bronchography: Bilateral | | | 22.1 | 807.53 | 8 | 1306.16 | +T |
| 3457 | Introduction of contrast medium included | | | 35.7 | 1,304.48 | | | |
| 3461 | Pleurography | | | 12.6 | 460.40 | 3 | 489.81 | +T |
| 3463 | For introduction of contrast medium: Add | | | 2.8 | 102.31 | | | |
| 3465 | Laryngography | | | 11 | 401.94 | | | |
| 3467 | For introduction of contrast medium: Add | | | 10 | 365.40 | | | |
| 3468 | Thoracic Inlet | | | 6.3 | 230.20 | | | |
| | | | | | | | | |
| 19.5 | Abdomen | | | | | | | |
| 3477 | Control films of the abdomen (not being part of examination for barium meal, barium enema, pyelogram, cholecystogram, cholangiogram etc.) | | | 9.4 | 343.48 | | | |
| 3479 | Acute abdomen or equivalent studies | | | 15.7 | 573.68 | | | |
| | | | | | | | | |
| 19.6 | Urinary tract | | | | | | | |
| 3487 | Excretory urogram: Control film included and bladder views before and after micturition (Intravenous pyelogram) (item 0206 not applicable) | | | 25.1 | 917.15 | | | |
| 3493 | Waterload test: Add | | | 12.2 | 445.79 | | | |
| 3497 | Cystography only or urethrography only (retrograde) | | | 19.3 | 705.22 | | | |
| 3499 | Cysto-urethrography: Retrograde | | | 31.9 | 1,165.63 | | | |
| 3503 | Cysto-urethrography: Introduction of contrast | | | 3.7 | 135.20 | | | |
| 3505 | Retrograde-prograde pyelography | | | 18.3 | 668.68 | | | |
| 3513 | Tomography of renal tract: Add | | | 9.4 | 343.48 | | | |
| | | | | | | | | |
| 19.8 | Vascular Studies | | | | | | | |
| 19.8.1 | Vascular Studies: Film Series | | | | | | | |

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---|--------------------------------------------|-----------|-------------|--------|----|
| | | U | R | U | R | U | R | T |
| 3545 | Venography: Per limb | | | 16.5 | 602.91 | | | |
| 3557 | Catheterisation aorta or vena cava, any level, any route, with aortogram/cavogram | | | 48.6 | 1,775.84 | 4 | 653.08 | +T |
| 3558 | Translumbar aortic puncture, with full study | | | 69.6 | 2,543.18 | 5 | 816.35 | +T |
| 3559 | Selective first order catheterisation, arterial or venous, with angiogram/venogram | | | 57 | 2,082.78 | 4 | 653.08 | +T |
| 3560 | Selective second order catheterisation, arterial or venous, with angiogram/venogram | | | 65.4 | 2,389.72 | 4 | 653.08 | +T |
| 3562 | Selective third order catheterisation, arterial or venous, with angiogram/venogram | | | 73.2 | 2,674.73 | 4 | 653.08 | +T |
| 3564 | Direct femoral arterial or venous or jugular venous puncture | | | 37.2 | 1,359.29 | | | |
| 3569 | Intravascular pressure studies, arterial or venous, once off per case | | | 19.8 | 723.49 | | | |
| 3570 | Microcatheter insertion, any cranial vessel and/or pulmonary vessel, arterial or venous (including guiding catheter placement) | | | 130.8 | 4,779.43 | 5 | 816.35 | +T |
| 3574 | Spinal angiogram (global fee) including all selective catheterisations | | | 480 | 17,539.20 | 5 | 816.35 | +T |
| | | | | | | | | |
| 19.8.2 | Vascular Studies: Introduction of contrast | | | | | | | |
| 3563 | Direct intravenous for limb | | | 7.8 | 285.01 | | | |
| 3575 | Cut-downs for venography: ADD | | | 11 | 401.94 | | | |
| | | | | | | | | |
| 19.10 | Radiology: Miscellaneous | | | | | | | |
| 3600 | Peripheral bone densitometry utilizing ionizing radiation (to be charged once only for one or more levels done at the same session). Motivation letter required. | | | 13 | 475.02 | | | |
| 3601 | Fluoroscopy: Per half hour: ADD (not applicable for items 3445) | | | 7.7 | 281.36 | | | |
| 3602 | Where a C-arm portable X-ray unit is used in hospital or theatre: Per half hour: ADD | | | 10.7 | 390.98 | | | |
| 3603 | Sinography | | | 18.4 | 672.34 | | | |
| 3604 | Bone densitometry (to be charged once only for one or more levels done at the same session) Motivation letter required | | | 77 | 2,813.58 | | | |
| 3607 | Attendance at operation in theatre or at radiological procedure performed by a surgeon or physician in X-ray department (except item 3309): Per half hour: Plus fee or examination performed (Only to be used by radiological technical staff) | | | 5.6 | 204.62 | | | |
| 3609 | Foreign body localisation: Fee for part examined plus two-thirds for every additional series and add fluoroscopy fee if this is done | | | | | | | |
| 3611 | Foreign body localisation: Introduction of sterile needle markers: ADD | | | 11 | 401.94 | | | |

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------|--------------------------------------------|-----------------|-------------|---|---|
| | | U | R | U | R | U | R | T |
| 3613 | Setting of sterile trays | | | 3.3 | 120.58 | | | |
| 5034 | Fine needle aspiration or biopsy | 25 | 913.50 | 25 | 913.50 | | | |
| | | Specialist | | Other Specialists and General Practitioner | | Anaesthetic | | |
| | | U | R | U | R | U | R | T |
| 19.11 | Ultrasonic investigations | | | | | | | |
| | The amounts in this section are calculated according to the Ultrasound unit values (unless otherwise specified) | | | | | | | |
| 3612 | Ultrasonic bone densitometry Motivation letter required | | | 19 | 655.88 | | | |
| 3621 | Cardiac Examination (MMode) Tariff code 3621 may be used in conjunction with tariff code 3622 If Doppler is also performed, tariff code 3625 may be added to tariff code 3621 Registered Cardiologist (Pr '21') may use these tariff codes (3621,3622 and 3625) simultaneously when complex ultrasound, e.g Valvular Heart Disease, Complex right sided disease assessment for cardiac re-synchronisation therapy are performed Tariff code 3621 may be used by other medical doctors (e.g Physicians and General Practitioners) as appropriate | 25 | 863.00 | 25 | 863.00 | | | |
| 3622 | Cardiac Examination; 2 Dimensional Tariff code 3622 may be used in conjunction with tariff code 3621 If Doppler is also performed, tariff code 3625 may be added to tariff code 3622 Registered Cardiologist (Pr '21') may use these tariff codes (3621, 3622 and 3625) simultaneously when complex ultrasound are performed Tariff code 3622 may be used by other medical doctors (e.g Physicians and General Practitioners) as appropriate | 50 | 1,726.00 | 50 | 1,726.00 | | | |
| 3624 | Cardiac Examination + Contrast; ADD | 10 | 345.20 | 10 | 345.20 | | | |
| 3625 | Cardiac Examination + Doppler Registered Cardiologist (Pr '21') may use these tariff codes (3621, 3622 and 3625) when assessing complex conditions Tariff code 3625 may be used by other medical doctors (e.g Physicians and general practitioners) as appropriate | 50 | 1,726.00 | 50 | 1,726.00 | | | |
| 3596 | Intravascular ultrasound per case, arterial or venous, for intervention | | | 30 | 1,035.60 | | | |

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---|--------------------------------------------|----------|-------------|---|---|
| | | U | R | U | R | U | R | T |
| 3627 | Ultrasound examination includes whole abdomen and pelvic organs, where pelvic organs are clinically indicated (including liver, gall bladder, spleen, pancreas, abdominal vascular anatomy, para-aortic area, renal tract, pelvic organs) | | | 60 | 2,071.20 | | | |
| 5101 | Pleural space ultrasound | | | 50 | 1,726.00 | | | |
| 5102 | Ultrasound of joints (e.g. shoulder, hip, knee), per joint | | | 50 | 1,726.00 | | | |
| 5103 | Ultrasound soft tissue, any region | | | 50 | 1,726.00 | | | |
| 3628 | Renal tract | | | 50 | 1,726.00 | | | |
| 3631 | Ophthalmic examination | | | 50 | 1,726.00 | | | |
| 3632 | Axial length measurement and calculation of intra-ocular lens power. Per eye. Not to be used with item 3034 | | | 50 | 1,726.00 | | | |
| 3634 | Peripheral vascular study, B mode only | | | 39 | 1,346.28 | | | |
| 3636 | Trans-oesophageal echocardiography including passing the device | | | 100 | 3,452.00 | | | |
| 5110 | Carotid ultrasound vascular study; B mode, pulsed and colour doppler; bilateral study, internal, external and common carotid flow and anatomy | | | 120 | 4,142.40 | | | |
| 5111 | Full ultrasonic and colour Doppler evaluation of entire extracranial vascular tree; carotids, vertebral and subclavian vessels (not to be used together with items 5110, 5112, 5113, 5114) | | | 164.8 | 5,688.90 | | | |
| 5112 | Peripheral arterial ultrasound vascular study; B mode, pulsed and colour doppler; per limb; to include waveforms at minimum of three levels, pressure studies at two levels and full interpretation of results | | | 117 | 4,038.84 | | | |
| 5113 | Peripheral venous ultrasound vascular study; B mode, pulsed and colour doppler; to evaluate deep vein thrombosis | | | 117 | 4,038.84 | | | |

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|---|----------------------------------------------------------------------------------------------|----------|-------------|--------|----|
| | | U | R | U | R | U | R | T |
| 5114 | Peripheral venous ultrasound vascular study; B mode, pulsed and colour Doppler in erect and supine position including compression manoeuvres and reflux in superficial and deep systems, bilaterally | | | 142.4 | 4,915.65 | | | |
| 5115 | Intra-operative ultrasound study | | | 50 | 1,726.00 | 3 | 489.81 | |
| 3635 | Plus (+) Doppler | | | 39 | 1,346.28 | | | |
| 3637 | Plus (+) Colour Doppler (may be added onto any other regional exam, but not to be added to items 5110, 5111, 5112, 5113 or 5114) | | | 78 | 2,692.56 | | | |
| | | | | | | | | |
| 19.12 | Portable unit examinations | | | | | | | |
| 3639 | Where X-ray unit is kept and used in the hospital or theatre: Add to Primary procedure. | | | 7 | 255.78 | | | |
| 3640 | Theatre investigations (with fixed installation): Add to primary procedure. | | | 3 | 109.62 | | | |
| | | | | | | | | |
| 19.13 | Diagnostic procedures requiring the use of radio-isotopes | | | | | | | |
| 3641 | Tracer test | | | 22.1 | 807.53 | | | |
| 3642 | Repeat of further tracer tests for same investigation: half of tracer test (item 3641) fee | | | 11.1 | 405.59 | | | |
| 3643 | If both tracer and therapeutic procedures are done, half fee of tracer test to be charged plus therapeutic fee | | | | | | | |
| 3645 | Other organ scanning with use of relevant radio isotopes | | | 54.8 | 2,002.39 | | | |
| 3646 | Thyroid scanning Motivation letter required | | | 19.2 | 701.57 | | | |
| | | | | | | | | |
| | | Specialist Radiologist with own facility | | Non-radiologist or specialist radiologist without own facility (calculate at 60% of the fee) | | Anaesthetic | | |
| | | U | R | U | R | U | R | T |
| 19.14 | Interventional radiological procedures | | | | | | | |
| 5016 | Aspiration thrombectomy (per vessel) | | | 131.4 | 4,801.36 | | | |
| 5018 | On-table thrombolysis/transcatheter infusion performed in angiography suite | | | 106.8 | 3,902.47 | 5 | 816.35 | +T |
| 5030 | Percutaneous nephrostomy for further procedure or drainage | | | 73.8 | 2,696.65 | | | |
| 5033 | Percutaneous cystostomy in radiology suite | | | 30 | 1,096.20 | | | |
| 5036 | Percutaneous Abdominal / pelvic / other drain insertion, any modality | | | 34.2 | 1,249.67 | | | |

| | | Specialist Radiologist | | Other Specialists and General Practitioner | | Anaesthetic | | |
|------|----------------------------------------------------------------------------|------------------------|---|--------------------------------------------|----------|-------------|---------|----|
| | | U | R | U | R | U | R | T |
| 5039 | Intracranial thrombolysis (on-table) per session | | | 139.2 | 5,086.37 | | | |
| 5041 | Balloon occlusion/Wada test Motivation letter required | | | 106.8 | 3,902.47 | 9 | 1469.43 | +T |
| 5072 | Tunnelled/Subcutaneous arteria/venous line performed in radiology suite | | | 82.2 | 3,003.59 | 5 | 816.35 | +T |
| 5074 | IVC filter insertion jugular or femoral route | | | 156 | 5,700.24 | 9 | 1469.43 | +T |
| 5076 | Intravascular foreign body removal, arterial or venous, any route | | | 204.6 | 7,476.08 | 9 | 1469.43 | +T |
| 5088 | Oesophageal stent insertion in radiology suite | | | 102.6 | 3,749.00 | 6 | 979.62 | +T |
| 5090 | Trachial stent insertion | | | 102.6 | 3,749.00 | 6 | 979.62 | +T |
| 5091 | GIT Balloon dilatation under fluoroscopy | | | 66.6 | 2,433.56 | 6 | 979.62 | +T |
| 5092 | Other GIT stent insertion | | | 102.6 | 3,749.00 | 6 | 979.62 | +T |
| 5093 | Percutaneous gastrostomy in radiology suite | | | 85.8 | 3,135.13 | | | |
| 5095 | Chest drain insertion in radiology suite | | | 32.4 | 1,183.90 | | | |